



XI'AN FUNCTION MATERIAL GROUP CO., LTD
Safety Data Sheet
Calcium Sulfide

1. Product and Company Identification

Trade Name: Calcium Sulfide
Chemical Formula: CaS
Recommended Use: Scientific research and development

Manufacturer/Supplier: XI'AN FUNCTION MATERIAL GROUP CO., LTD
Street: No. 69, Gazelle Valley, High-Tech Zone
City: XI'AN
State: Shaanxi
Zip Code: 710077
Country: China
Tel #: +86-29-88993870/+86-13519132051

2. Hazards Identification

Signal Word: Danger



Hazard Statements: H228: Flammable solid
H315: Causes skin irritation
H319: Causes serious eye irritation
H335: May cause respiratory irritation
H410: Very toxic to aquatic life with long lasting effects

Precautionary Statements: P210: Keep away from heat/sparks/open flames/hot surfaces – No smoking
P240: Ground/bond container and receiving equipment
P241: Use explosion-proof electrical/ventilating/light/equipment
P261: Avoid breathing dust/fume/gas/mist/vapours/spray
P264: Wash face, hands, and any exposed skin thoroughly after handling
P271: Use only outdoors or in a well-ventilated area
P273: Avoid release to the environment
P280: Wear protective gloves/protective clothing/eye protection/face protection
P302+P352: IF ON SKIN: Wash with soap and water
P304+P340+P312: IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do. Continue rinsing
P332+P313: If skin irritation occurs: Get medical advice/attention
P337+P313: If eye irritation persists get medical advice/attention
P362: Take off contaminated clothing and wash before reuse
P370+P378: In case of fire: Use suitable extinguishing media for extinction

P391: Collect spillage
P403+P233: Store in a well-ventilated place. Keep container tightly closed
P405: Store locked up
P501: Dispose of contents/container in accordance with local/regional/national/international regulations

HMIS Health Ratings (0-4):

Health:	2
Flammability:	1
Physical:	0

3. Composition

Chemical Family:	Inorganic Material
Additional Names:	N/A

Calcium Sulfide (CaS):	
Percentage:	100 wt%
CAS #:	20548-54-3
EC #:	243-873-5

4. First Aid Procedures

General Treatment:	Seek medical attention if symptoms persist.
Special Treatment:	None
Important Symptoms:	None

Inhalation:	Remove victim to fresh air. Supply oxygen if breathing is difficult. Get medical attention if symptoms occur.
-------------	---

Ingestion:	Give one to two glasses of water. Never induce vomiting or give anything by mouth to an unconscious person. Get medical attention if symptoms occur.
------------	--

Skin:	Wash affected area with mild soap and water. Remove any contaminated clothing. Get medical attention if symptoms occur.
-------	---

Eyes:	Flush eyes with water, blinking often for several minutes. Remove contact lenses if present and easy to do. Continue rinsing. Get medical attention.
-------	--

5. Firefighting Measures

Flammability:	Flammable
---------------	-----------

Extinguishing Media:	Use dry sand, dry powder, carbon dioxide, dry chemical or chemical foam.
----------------------	--

Spec. Fire Fighting Procedure:	Use full-face, self-contained breathing apparatus with full protective clothing to prevent contact with skin and eyes. See section 10 for decomposition products.
--------------------------------	---

6. Accidental Release Measures

If Material Is Released/Spilled:	Wear appropriate respiratory and protective equipment specified in special protection information. Isolate spill area and provide ventilation. Vacuum up spill using a high efficiency particulate absolute (HEPA) air filter and place in a closed container for disposal. Take care not to raise dust.
----------------------------------	--

Environmental Precautions:	Isolate runoff to prevent environmental pollution.
----------------------------	--

7. Handling and Storage

Handling Conditions:	Wash thoroughly after handling.
Storage Conditions:	Store in a cool dry place in a tightly sealed container. Store apart from materials and conditions listed in section 10.
Work/Hygienic Maintenance:	Do not use tobacco or food in work area. Wash thoroughly before eating and smoking. Do not blow dust off clothing or skin with compressed air. Avoid dust formation and aerosols. Further processing of material may result in formation of combustible dust.
Ventilation:	Provide sufficient ventilation to maintain concentration at or below threshold limit.

8. Exposure Controls and Personal Protection

Permissible Exposure Limits:	N/A
Threshold Limit Value:	N/A
Special Equipment:	None
Respiratory Protection:	Dust Respirator
Protective Gloves:	Rubber gloves
Eye Protection:	Safety glasses or goggles
Body Protection:	Protective work clothing. Wear close-toed shoes and long sleeves/pants.

9. Physical and Chemical Characteristics

Color	White
Form:	Powder, Granules, Pellets, Sputtering target, Custom parts
Odor:	Pungent
Water Solubility:	Slightly soluble
Boiling Point:	N/A
Melting Point:	2525 °C
Flash Point:	N/A
Autoignition Temperature:	N/A
Density:	2.5 g/cc
Molecular weight:	72.14 g/mol

10. Reactivity

Stability:	Air, Water, Heat Sensitive. Stable under recommended storage conditions
Reacts With:	Acids, Finely powdered metals, Lead, Lead oxides, Strong oxidizing agents, Water
Incompatible Conditions:	Excess heat. Keep away from sources of ignition. Exposure to air. Exposure to moisture or water
Hazardous Decomposition Products:	Calcium oxides, Sulphur oxides, Sulfides, Toxic gases

11. Toxicological Information

Potential Health Effects:

Eyes:	Causes serious eye irritation
Skin:	Causes skin irritation
Ingestion:	May cause irritation
Inhalation:	May cause irritation
Chronic:	N/A

Signs & Symptoms: N/A

Aggravated Medical Conditions: N/A

Median Lethal Dose: N/A

Carcinogen: N/A

12. Ecological Information

Aquatic Toxicity: N/A

Persistent Bioaccumulation Toxicity: N/A

Very Persistent, Very Bioaccumulative: N/A

Notes: Very toxic to aquatic life with long lasting effects.

13. Disposal Considerations

Dispose of in accordance with local, state, national, and international regulations.

14. Transportation Data

Hazardous:

Hazardous for transportation



Primary Hazard Class: 4.1 Flammable solids

Secondary Hazard Class: 6.1 Poisonous material

Packing Group: II

UN Number: UN3179

Proper Shipping Name: Flammable solid, toxic, inorganic, n.o.s. (Calcium Sulfide)

15. Regulatory Information

Sec 302 Extremely Hazardous: No

Sec 304 Reportable Quantities: N/A

Sec 313 Toxic Chemicals: No

16. Other Information

This safety data sheet should be used in conjunction with technical sheets. It does not replace them. The information given is based on our knowledge of this product, at the time of publication. It is given in good faith. The attention of the user is drawn to the possible risks incurred by using the product for any other purpose other than that for which it was intended. This does not in any way excuse the user from knowing and applying all the regulations governing his activity. It is the sole responsibility of the user to take all precautions required in handling the product. The aim of the mandatory regulations mentioned is to help the user to fulfill his obligations regarding the use of hazardous products.

Document Last Revised: 07/12/2020